ELSEVIER

European Journal of Pharmacology 286 (1995) 327–329

ejp

Author index

Adachi, T., Hori, S., Miyazaki, K., Takahashi, E., Nakagawa, M., Udagawa, A., Hayashi, N., Aikawa, N. and Ogawa, S.
Rapid increase in plasma nitrite concentration following intravenous administration of nipradilol (286) 201
Ærø, C.E., see Røshol, H. (286) 9
Aikawa, N., see Adachi, T. (286) 201
Allard, M.F., see Schönekess, B.O. (286) 155
Altavilla, D., Squadrito, F., Canale, P., Ioculano, M., Squadrito, G., Campo, G.M., Serranò, M., Sardella, A., Urna, G., Spignoli, G. and Caputi, A.P.
G 619, a dual thromboxane synthase inhibitor and thromboxane A_2 receptor antagonist, inhibits tumor necrosis factor-α biosynthesis (286) 31

Balestra, B., see Messori, E. (286) 205
Baran, H., Gramer, M., Hönack, D. and Löscher, W.
Systemic administration of kainate induces marked increases of endogenous kynurenic acid in various brain regions and plasma of rats (286) 167
Barg, J., see Novakova, M. (286) 19
Belai, A., see Ralevic, V. (286) 193
Bianchi, G., see Micheletti, R. (286) 147
Blommaert, A.G.S., see Valverde, O. (286) 79
Bradford, H.F., see Croucher, M.J. (286) 265
Burnstock, G., see Ralevic, V. (286) 193

Cai, H., Ibayashi, S., Yao, H., Sugimori, H., Sadoshima, S. and Fujishima, M.
The α_1-adrenoceptor antagonist, doxazosin, modulates the lower limit of autoregulation of cerebral blood flow during hemorrhagic hypotension in anesthetized hypertensive rats (286) 249
Campo, G.M., see Altavilla, D. (286) 31
Canale, P., see Altavilla, D. (286) 31
Candura, S.M., see Messori, E. (286) 205
Caputi, A.P., see Altavilla, D. (286) 31
Carter, C., see Nankai, M. (286) 61
Chipperfield, A.R., see Harper, A.A. (286) 299
Coccini, T., see Messori, E. (286) 205
Coderre, T.J., see Fundytus, M.E. (286) 105
Cools, A.R., Miwa, Y. and Koshikawa, N.
Role of dopamine D_1 and D_2 receptors in the nucleus accumbens in jaw movements of rats: a critical role of the shell (286) 41
Cotterell, K.L., see Croucher, M.J. (286) 265
Coy, D.H., see Varga, G. (286) 109
Criddle, D.N., Jazbik, W. and Soares de Moura, R.
Differential vasorelaxant effects of levcromakalim and P1060 in the isolated KCl- and RbCl-precontracted human saphenous vein: possible involvement of intracellular Ca^{2+} stores (286) 123
Croucher, M.J., Cotterell, K.L. and Bradford, H.F.
Amygdaloid kindling by repeated focal *N*-methyl-D-aspartate administration: comparison with electrical kindling (286) 265

Decrinis, M., see Stark, G. (286) 71
Depoortere, I., Macielag, M.J., Galdes, A. and Peeters, T.L.
Antagonistic properties of [Phe^3,Leu^{13}]porcine motilin (286) 241
De Vries, T.J., see Schoffelmeer, A.N.M. (286) 311
Di Rosa, M., see Sautebin, L. (286) 219
Donato di Paola, E., see Micheletti, R. (286) 147
Duarte, J., Pérez-Vizcaíno, F., Torres, A.I., Zarzuelo, A., Jiménez, J. and Tamargo, J.
Vasodilator effects of visnagin in isolated rat vascular smooth muscle (286) 115

Eilam, Y., see Novakova, M. (286) 19
Ela, C., see Novakova, M. (286) 19
Elhawary, A.M., Poon, J.S. and Pang, C.C.Y.
Receptor subtypes mediating renal actions of calcitonin gene-related peptide (286) 255
Eto, T., see Niina, H. (286) 95
Evans, D.Y., see Heaslip, R.J. (286) 281

Fage, D., see Nankai, M. (286) 61
Férézou, J., see Hajri, T. (286) 131
Field, M.J., see Singh, L. (286) 185
Fournié-Zaluski, M.-C., see Valverde, O. (286) 79
Franková, D., see Zídek, Z. (286) 307
Fujishima, M., see Cai, H. (286) 249
Fundytus, M.E., Schiller, P.W., Shapiro, M., Weltrowska, G. and Coderre, T.J.
Attenuation of morphine tolerance and dependence with the highly selective δ-opioid receptor antagonist TIPP[ψ] (286) 105
Furukawa, H., see Noda, Y. (286) 291

Galdes, A., see Depoortere, I. (286) 241
Gardier, A.M., see Malagié, I. (286) 213
Gillard, M., see Noyer, M. (286) 137
Gosteli, P., see Schiffer, E.R. (286) 49
Gramer, M., see Baran, H. (286) 167
Guan, H.-C., see Seeman, P. (286) R3
Gudelsky, G.A.
Effects of σ receptor ligands on the extracellular concentration of dopamine in the striatum and prefrontal cortex of the rat (286) 223

Hajri, T., Férézou, J., Laruelle, C. and Lutton, C.
Crilvastatin, a new 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor, inhibits cholesterol absorption in genetically hypercholesterolemic rats (286) 131
Hamada, N., see Nishiguchi, E. (286) 1
Harper, A.A. and Chipperfield, A.R.
Chronotropic actions of Na^+,K^+,Cl^- cotransport inhibition in the isolated rat heart (286) 299
Hasin, Y., see Novakova, M. (286) 19
Hayashi, N., see Adachi, T. (286) 201
Heaslip, R.J. and Evans, D.Y.
Emetic, central nervous system and pulmonary activities of rolipram in the dog (286) 281
Helmeste, D.M. and Tang, S.W.
Erratum to 'Tyrosine kinase inhibitors regulate serotonin uptake in platelets' [Eur. J. Pharmacol. 280 (1995) R5–R7] (286) 113

Hénichart, J.-P., see Noyer, M. (286) 137
Herbert, M.K. and Hering, S.
Tumor necrosis factor-α prevents interleukin-1β from augmenting capsaicin-induced vasodilatation in the rat skin (286) 273
Hering, S., see Herbert, M.K. (286) 273
Hildebrandt, C., see Pfaff, O. (286) 229
Hill, D.R., see Singh, L. (286) 185
Holý, A., see Zídek, Z. (286) 307
Hönack, D., see Baran, H. (286) 167
Hope, W., see White, P.J. (286) 315
Hori, S., see Adachi, T. (286) 201
Horwell, D.C., see Singh, L. (286) 185
Hou, X., see Pfaff, O. (286) 229

Ialenti, A., see Sautebin, L. (286) 219
Ianaro, A., see Sautebin, L. (286) 219
Ibayashi, S., see Cai, H. (286) 249
Iino, T., Katsura, M. and Kuriyama, K.
Effect of vinconate on the extracellular levels of dopamine and its metabolites in the rat striatum: microdialysis studies (286) 99
Ioculano, M., see Altavilla, D. (286) 31

Jacquot, C., see Malagié, I. (286) 213
Jazbik, W., see Criddle, D.N. (286) 123
Jiménez, J., see Duarte, J. (286) 115
Jovanović, A. and Terzic, A.
Diadenosine-hexaphosphate is an inhibitory ligand of myocardial ATP-sensitive K^+ channels (286) R1

Kasper, K., see Stark, G. (286) 71
Katoh, F., see Niina, H. (286) 95
Katsura, M., see Iino, T. (286) 99
Kimura, S., see Nishiyama, M. (286) 209
Kitamura, K., see Niina, H. (286) 95
Kobayashi, H., see Niina, H. (286) 95
Koshikawa, N., see Cools, A.R. (286) 41
Kuriyama, K., see Iino, T. (286) 99

Lambrecht, G., see Pfaff, O. (286) 229
Laruelle, C., see Hajri, T. (286) 131
Liehr, R.-M., see Varga, G. (286) 109
Lopaschuk, G.D., see Schönekess, B.O. (286) 155
Löscher, W., see Baran, H. (286) 167
Lutton, C., see Hajri, T. (286) 131

Macielag, M.J., see Depoortere, I. (286) 241
Malagié, I., Trillat, A.-C., Jacquot, C. and Gardier, A.M.
Effects of acute fluoxetine on extracellular serotonin levels in the raphe: an in vivo microdialysis study (286) 213
Maldonado, R., see Valverde, O. (286) 79
Margineanu, D.G. and Wülfert, E.
ucb L059, a novel anticonvulsant, reduces bicuculline-induced hyperexcitability in rat hippocampal CA3 in vivo (286) 321
Masaki, T., see Nishiyama, M. (286) 209
Matagne, A., see Noyer, M. (286) 137
McKnight, A.T., see Singh, L. (286) 185
Mentha, G., see Schiffer, E.R. (286) 49
Messori, E., Candura, S.M., Coccini, T., Balestra, B. and Tonini, M.
5-HT_3 receptor involvement in descending reflex relaxation in the rabbit isolated distal colon (286) 205
Micheletti, R., Donato di Paola, E., Schiavone, A., Rossi, R. and Bianchi, G.
Effect of propionyl-l-carnitine and enalapril on cardiac function of pressure-overloaded rats during increase in load (286) 147
Miwa, Y., see Cools, A.R. (286) 41
Miyawaki, N., see Stark, G. (286) 71
Miyazaki, K., see Adachi, T. (286) 201
Morel, D.R., see Schiffer, E.R. (286) 49
Moroi, K., see Nishiyama, M. (286) 209
Moser, U., see Pfaff, O. (286) 229
Mulder, A.H., see Schoffelmeer, A.N.M. (286) 311
Mutschler, E., see Pfaff, O. (286) 229

Nabeshima, T., see Noda, Y. (286) 291
Nakagawa, M., see Adachi, T. (286) 201
Nankai, M., Fage, D. and Carter, C.
Striatal NMDA receptor subtypes: the pharmacology of *N*-methyl-D-aspartate-evoked dopamine, γ-aminobutyric acid, acetylcholine and spermidine release (286) 61
Nestby, P., see Schoffelmeer, A.N.M. (286) 311
Niina, H., Kobayashi, H., Kitamura, K., Katoh, F., Eto, T. and Wada, A.
Inhibition of catecholamine synthesis by proadrenomedullin N-terminal 20 peptide in cultured bovine adrenal medullary cells (286) 95
Nishiguchi, E., Hamada, N. and Shindo, J.
Lidocaine action and conformational changes in cytoskeletal protein network in human red blood cells (286) 1
Nishiyama, M., Shan, L.-h., Moroi, K., Masaki, T. and Kimura, S.
Heterogeneity of endothelin ET_A receptor-mediated contractions in the rabbit saphenous vein (286) 209
Noda, Y., Yamada, K., Furukawa, H. and Nabeshima, T.
Involvement of nitric oxide in phencyclidine-induced hyperlocomotion in mice (286) 291
Novakova, M., Ela, C., Barg, J., Vogel, Z., Hasin, Y. and Eilam, Y.
Inotropic action of σ receptor ligands in isolated cardiac myocytes from adult rats (286) 19
Noyer, M., Gillard, M., Matagne, A., Hénichart, J.-P. and Wülfert, E.
The novel antiepileptic drug levetiracetam (ucb L059) appears to act via a specific binding site in CNS membranes (286) 137

Ogawa, S., see Adachi, T. (286) 201
Otová, B., see Zídek, Z. (286) 307

Pang, C.C.Y., see Elhawary, A.M. (286) 255
Peeters, T.L., see Depoortere, I. (286) 241
Pérez-Vizcaíno, F., see Duarte, J. (286) 115
Pfaff, O., Hildebrandt, C., Waelbroeck, M., Hou, X., Moser, U., Mutschler, E. and Lambrecht, G.
The (*S*)-(+)-enantiomer of dimethindene: a novel M_2-selective muscarinic receptor antagonist (286) 229
Poinsot, O., see Schiffer, E.R. (286) 49
Poon, A. and Sawynok, J.
Antinociception by adenosine analogs and an adenosine kinase inhibitor: dependence on formalin concentration (286) 177
Poon, J.S., see Elhawary, A.M. (286) 255

Ralevic, V., Belai, A. and Burnstock, G.
Effects of streptozotocin-diabetes on sympathetic nerve, endothelial and smooth muscle function in the rat mesenteric arterial bed (286) 193
Roberts, E., see Singh, L. (286) 185
Roques, B.P., see Valverde, O. (286) 79
Rose'Meyer, R.B., see White, P.J. (286) 315
Røshol, H., Skrede, K.K., Ærø, C.E. and Wiik, P.
Dexamethasone and methylprednisolone affect rat peritoneal phagocyte chemiluminescence after administration in vivo (286) 9
Rossi, R., see Micheletti, R. (286) 147

Sadoshima, S., see Cai, H. (286) 249
Sardella, A., see Altavilla, D. (286) 31
Sautebin, L., Ialenti, A., Ianaro, A. and Di Rosa, M.
Endogenous nitric oxide increases prostaglandin biosynthesis in carrageenin rat paw oedema (286) 219
Sawynok, J., see Poon, A. (286) 177
Scarpignato, C., see Varga, G. (286) 109

Schiavone, A., see Micheletti, R. (286) 147
Schiffer, E.R., Schwieger, I.M., Gosteli, P., Poinsot, O., Mentha, G. and Morel, D.R.
Systemic and splanchnic oxygen supply-demand relationship with fenoldopam, dopamine and noradrenaline in sheep (286) 49
Schiller, P.W., see Fundytus, M.E. (286) 105
Schoffelmeer, A.N.M., Nestby, P., Tjon, G.H.K., Wardeh, G., De Vries, T.J., Vanderschuren, L.J.M.J. and Mulder, A.H.
Intermittent morphine treatment causes a protracted increase in cholinergic striatal neurotransmission measured ex vivo (286) 311
Schönekess, B.O., Allard, M.F. and Lopaschuk, G.D.
Propionyl L-carnitine improvement of hypertrophied rat heart function is associated with an increase in cardiac efficiency (286) 155
Schwieger, I.M., see Schiffer, E.R. (286) 49
Seeman, P., Guan, H.-C. and Van Tol, H.H.M.
Schizophrenia: elevation of dopamine D_4-like sites, using [^{3}H]-nemonapride and [^{125}I]epidepride (286) R3
Serranò, M., see Altavilla, D. (286) 31
Shan, L.-h., see Nishiyama, M. (286) 209
Shapiro, M., see Fundytus, M.E. (286) 105
Shindo, J., see Nishiguchi, E. (286) 1
Singh, L., Field, M.J., Hill, D.R., Horwell, D.C., McKnight, A.T., Roberts, E., Tang, K.W. and Woodruff, G.N.
Peptoid CCK receptor antagonists: pharmacological evaluation of CCK_A, CCK_B and mixed $CCK_{A/B}$ receptor antagonists (286) 185
Skrede, K.K., see Røshol, H. (286) 9
Soares de Moura, R., see Criddle, D.N. (286) 123
Spignoli, G., see Altavilla, D. (286) 31
Squadrito, F., see Altavilla, D. (286) 31
Squadrito, G., see Altavilla, D. (286) 31
Stark, G., Kasper, K., Stark, U., Miyawaki, N., Decrinis, M. and Tritthart, H.A.
Effects of semotiadil, a novel Ca^{2+} channel antagonist, on the electrical activity of Langendorff-perfused guinea pig hearts in comparison with diltiazem, amlodipine and nifedipine (286) 71
Stark, U., see Stark, G. (286) 71
Sugimori, H., see Cai, H. (286) 249

Takahashi, E., see Adachi, T. (286) 201
Tamargo, J., see Duarte, J. (286) 115
Tang, K.W., see Singh, L. (286) 185
Tang, S.W., see Helmeste, D.M. (286) 113
Terzic, A., see Jovanović, A. (286) R1
Tjon, G.H.K., see Schoffelmeer, A.N.M. (286) 311
Tonini, M., see Messori, E. (286) 205
Torres, A.I., see Duarte, J. (286) 115
Trillat, A.-C., see Malagié, I. (286) 213
Tritthart, H.A., see Stark, G. (286) 71

Udagawa, A., see Adachi, T. (286) 201
Urna, G., see Altavilla, D. (286) 31

Valverde, O., Blommaert, A.G.S., Fournié-Zaluski, M.-C., Roques, B.P. and Maldonado, R.
Weak tolerance to the antinociceptive effect induced by the association of a peptidase inhibitor and a CCK_B receptor antagonist (286) 79
Vanderschuren, L.J.M.J., see Schoffelmeer, A.N.M. (286) 311
Van Tol, H.H.M., see Seeman, P. (286) R3
Varga, G., Liehr, R.-M., Scarpignato, C. and Coy, D.H.
Distinct receptors mediate gastrin-releasing peptide and neuromedin B-induced delay of gastric emptying of liquids in rats (286) 109
Vogel, Z., see Novakova, M. (286) 19

Wada, A., see Niina, H. (286) 95
Waelbroeck, M., see Pfaff, O. (286) 229
Wardeh, G., see Schoffelmeer, A.N.M. (286) 311
Weltrowska, G., see Fundytus, M.E. (286) 105
White, P.J., Hope, W. and Rose'Meyer, R.B.
The role of adenosine in the hypotensive actions of morphine (286) 315
Wiik, P., see Røshol, H. (286) 9
Woodruff, G.N., see Singh, L. (286) 185
Wülfert, E., see Margineanu, D.G. (286) 321
Wülfert, E., see Noyer, M. (286) 137

Yamada, K., see Noda, Y. (286) 291
Yao, H., see Cai, H. (286) 249

Zarzuelo, A., see Duarte, J. (286) 115
Zídek, Z., Holý, A., Franková, D. and Otová, B.
Suppression of rat adjuvant arthritis by some acyclic nucleotide analogs (286) 307